BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 56 NOS. 1,2 **CONTENTS** **MAY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines to the submission of manuscripts v

Interactive report (Article also accessible on World Wide Web at: **http://www.elsevier.nl/locate/bres** or **http://elsevier.com/locate/bres)**

Differences in gene expression between sleep and waking as revealed by mRNA differential display
C. Cirelli and G. Tononi (USA) 293

Research reports

Distribution of the 5-HT_{5A} serotonin receptor mRNA in the human brain
M. Pasqualetti, M. Ori, I. Nardi, M. Castagna, G.B. Cassano and D. Marazziti (Italy) 1

Identification and characterization of RPTPρ, a novel RPTPμ/κ-like receptor protein tyrosine phosphatase whose expression is restricted to the central nervous system
P.E. McAndrew, A. Frostholm, R.A. White, A. Rotter and A.H.M. Burghes (USA) 9

Changes in IP_3R1 and SERCA2b mRNA levels in the gerbil brain after chronic ethanol administration and transient cerebral ischemia-reperfusion
J. Xia, A. Simonyi and G.Y. Sun (USA) 22

Cell death and associated c-*jun* induction in perinatal hypoxia–ischemia. Effect of the neuroprotective drug dexamethasone
A. Macaya, F. Munell, I. Ferrer, C. De Torres and J. Reventós (Spain) 29

Increased expression of dendritic mRNA following the induction of long-term potentiation
L.A. Roberts, C.H. Large, M.J. Higgins, T.W. Stone, C.T. O'Shaughnessy and B.J. Morris (UK) 38

Cyclooxygenase-2 is induced in brain blood vessels during fever evoked by peripheral or central administration of tumor necrosis factor
C. Cao, K. Matsumura, K. Yamagata and Y. Watanabe (Japan) 45

Cloning and characterization of the presenilin-2 gene promoter
K.R. Pennypacker, R. Fuldner, R. Xu, H. Hernandez, D. Dawbarn, N. Mehta, J. Perez-Tur, M. Baker and M. Hutton (USA, UK) 57

Expression of an ADP-ribosylation factor like gene, *ARF4L*, is induced after transient forebrain ischemia in the gerbil
T. Katayama, K. Imaizumi, M. Tsuda, Y. Mori, T. Takagi and M. Tohyama (Japan) 66

The modulatory role of nitric oxide in the regulation of proenkephalin and prodynorphin gene expressions induced by kainic acid in rat hippocampus
J.-S. Won, Y.-B. Im, Y.-H. Kim, D.-K. Song, S.-O. Huh and H.-W. Suh (South Korea) 76

Tyrosine-533 of rat dopamine transporter: involvement in interactions with 1-methyl-4-phenylpyridinium and cocaine
C. Mitsuhata, S. Kitayama, K. Morita, D. Vandenbergh, G.R. Uhl and T. Dohi (Japan, USA) 84

Specific vanilloid responses in C6 rat glioma cells
T. Bíró, C. Brodie, S. Modarres, N.E. Lewin, P. Ács and P.M. Blumberg (USA) 89

Gene expression in activated brain microglia: identification of a proteinase inhibitor that increases microglial cell number
S. Thakker-Varia, S. Elkabes, C. Schick, G.A. Silverman, L. Peng, A.C. Sherwood and I.B. Black (USA) 99

Differential role of specific PKC isoforms in the proliferation of glial cells and the expression of the astrocytic markers GFAP and glutamine synthetase
C. Brodie, I. Kuperstein, P. Acs and P.M. Blumberg (USA, Israel) 108

Activation of the MAP kinase cascade by histone deacetylase inhibitors is required for the stimulation of choline acetyltransferase gene promoter
E. Espinos and M.J. Weber (France) 118

Amyloid precursor protein modulates the interaction of nerve growth factor with p75 receptor and potentiates its activation of trkA phosphorylation
C.A. Akar and W.C. Wallace (USA) 125

(contents continued on p. 308)

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0169-328X(199805)56:1/2;1-Y

BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 56 NOS. 1,2 **CONTENTS** **MAY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines to the submission of manuscripts v

Interactive report (Article also accessible on World Wide Web at: **http://www.elsevier.nl/locate/bres** or **http://elsevier.com/locate/bres)**

Differences in gene expression between sleep and waking as revealed by mRNA differential display
C. Cirelli and G. Tononi (USA) 293

Research reports

Distribution of the 5-HT_{5A} serotonin receptor mRNA in the human brain
M. Pasqualetti, M. Ori, I. Nardi, M. Castagna, G.B. Cassano and D. Marazziti (Italy) 1

Identification and characterization of RPTPρ, a novel RPTPμ/κ-like receptor protein tyrosine phosphatase whose expression is restricted to the central nervous system
P.E. McAndrew, A. Frostholm, R.A. White, A. Rotter and A.H.M. Burghes (USA) 9

Changes in IP_3R1 and SERCA2b mRNA levels in the gerbil brain after chronic ethanol administration and transient cerebral ischemia-reperfusion
J. Xia, A. Simonyi and G.Y. Sun (USA) 22

Cell death and associated c-*jun* induction in perinatal hypoxia–ischemia. Effect of the neuroprotective drug dexamethasone
A. Macaya, F. Munell, I. Ferrer, C. De Torres and J. Reventós (Spain) 29

Increased expression of dendritic mRNA following the induction of long-term potentiation
L.A. Roberts, C.H. Large, M.J. Higgins, T.W. Stone, C.T. O'Shaughnessy and B.J. Morris (UK) 38

Cyclooxygenase-2 is induced in brain blood vessels during fever evoked by peripheral or central administration of tumor necrosis factor
C. Cao, K. Matsumura, K. Yamagata and Y. Watanabe (Japan) 45

Cloning and characterization of the presenilin-2 gene promoter
K.R. Pennypacker, R. Fuldner, R. Xu, H. Hernandez, D. Dawbarn, N. Mehta, J. Perez-Tur, M. Baker and M. Hutton (USA, UK) 57

Expression of an ADP-ribosylation factor like gene, *ARF4L*, is induced after transient forebrain ischemia in the gerbil
T. Katayama, K. Imaizumi, M. Tsuda, Y. Mori, T. Takagi and M. Tohyama (Japan) 66

The modulatory role of nitric oxide in the regulation of proenkephalin and prodynorphin gene expressions induced by kainic acid in rat hippocampus
J.-S. Won, Y.-B. Im, Y.-H. Kim, D.-K. Song, S.-O. Huh and H.-W. Suh (South Korea) 76

Tyrosine-533 of rat dopamine transporter: involvement in interactions with 1-methyl-4-phenylpyridinium and cocaine
C. Mitsuhata, S. Kitayama, K. Morita, D. Vandenbergh, G.R. Uhl and T. Dohi (Japan, USA) 84

Specific vanilloid responses in C6 rat glioma cells
T. Bíró, C. Brodie, S. Modarres, N.E. Lewin, P. Ács and P.M. Blumberg (USA) 89

Gene expression in activated brain microglia: identification of a proteinase inhibitor that increases microglial cell number
S. Thakker-Varia, S. Elkabes, C. Schick, G.A. Silverman, L. Peng, A.C. Sherwood and I.B. Black (USA) 99

Differential role of specific PKC isoforms in the proliferation of glial cells and the expression of the astrocytic markers GFAP and glutamine synthetase
C. Brodie, I. Kuperstein, P. Acs and P.M. Blumberg (USA, Israel) 108

Activation of the MAP kinase cascade by histone deacetylase inhibitors is required for the stimulation of choline acetyltransferase gene promoter
E. Espinos and M.J. Weber (France) 118

Amyloid precursor protein modulates the interaction of nerve growth factor with p75 receptor and potentiates its activation of trkA phosphorylation
C.A. Akar and W.C. Wallace (USA) 125

(contents continued on p. 308)

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0169-328X(199805)56:1/2;1-Y

(contents continued)

Hippocampal Myc and p53 expression following transient global ischemia
L. McGahan, A.M. Hakim and G.S. Robertson (Canada) 133
Ischemia-induced CA1 neuronal death is preceded by elevated FosB and Jun expression and reduced NGFI-A and JunB levels
L. McGahan, A.M. Hakim, Y. Nakabeppu and G.S. Robertson (Canada, Japan) 146
Specific reductions of striatal prodynorphin and D_1 dopamine receptor messenger RNAs during cocaine abstinence
P. Svensson and Y.L. Hurd (Sweden) 162
Increased expression of amyloid precursor protein and amyloid precursor-like protein 2 during trophic factor withdrawal-induced death of neuronal PC12 cells
W. Araki and R.J. Wurtman (USA) 169
Amyloid-β-protein isoforms in brain of subjects with *PS1*-linked, *βAPP*-linked and sporadic Alzheimer disease
A. Tamaoka, P.E. Fraser, K. Ishii, N. Sahara, K. Ozawa, M. Ikeda, A.M. Saunders, Y. Komatsuzaki, R. Sherrington, G. Levesque, G. Yu, E. Rogaeva, S. Shoji, L.E. Nee, D.A. Pollen, L. Hendriks, J.J. Martin, C. Van Broeckhoven, A.D. Roses, L.A. Farrer, P.H. St. George-Hyslop and H. Mori (Japan, Canada, USA, Belgium) 178
Nuclear factor-κB activation during cerebral reperfusion: effect of attenuation with *N*-acetylcysteine treatment
J.E. Carroll, E.F. Howard, D.C. Hess, C.G. Wakade, Q. Chen and C. Cheng (USA) 186
The cell cycle gene *SKP1* is regulated by light in postnatal rat brain
E. Uro-Coste, E. Perret, C. Fonta, M. Mathieu, M.-B. Delisle, D. Caput and M. Imbert (France) 192
Increased expression of voltage-activated calcium channels in cultured hippocampal neurons from mouse trisomy 16, a model for Down syndrome
Z. Galdzicki, E.J. Coan, S.I. Rapoport and J. Stoll (USA) 200
Expression of the human excitatory amino acid transporter 2 and metabotropic glutamate receptors 3 and 5 in the prefrontal cortex from normal individuals and patients with schizophrenia
T. Ohnuma, S.J. Augood, H. Arai, P.J. McKenna and P.C. Emson (Japan, UK) 207
Attenuation of cell death mediated by membrane depolarization different from that by exogenous BDNF in cultured mouse cerebellar granule cells
D. Ichikawa, A. Tabuchi, A. Taoka, T. Tsuchiya and M. Tsuda (Japan) 218
Winged helix hepatocyte nuclear factor 3 and POU-domain protein Brn-2/N-Oct-3 bind overlapping sites on the neuronal promoter of human aromatic L-amino acid decarboxylase gene
J.-F. Raynal, C. Dugast, A. Le Van Thaï and M.J. Weber (France) 227
Multiple pathways regulate the expression of genes encoding sodium channel subunits in developing neurons
P. Giraud, G. Alcaraz, F. Jullien, B. Sampo, E. Jover, F. Couraud and B. Dargent (France) 238
MAP kinase phosphatase-1 mRNA is expressed in embryonic sympathetic neurons and is upregulated after NGF stimulation
P. Peinado-Ramón, Å. Wallén and F. Hallböök (Sweden) 256

Short communications

$GABA_A$ receptor β2 and β3 subunits mRNA in the hippocampal formation of aged human brain with Alzheimer-related neuropathology
K. Mizukami, D.R. Grayson, M.D. Ikonomovic, R. Sheffield and D.M. Armstrong (USA) 268
TrkA receptors delay C6-2B glioma cell growth in rat striatum
S.J. Rabin, C. Tornatore, B. Baker-Cairns, G. Spiga and I. Mocchetti (USA) 273
Preprotachykinin-A gene expression in the forebrain of Sardinian alcohol-preferring and -nonpreferring rats
P. Pompei, S. Angeletti, R. Ciccocioppo, G. Colombo, G.L. Gessa and M. Massi (Italy) 277
μ-Opioid receptor-knockout mice: the role of μ-opioid receptor in gastrointestinal transit
S. Roy, H.-C. Liu and H.H. Loh (USA) 281
Search for mutations near the alternatively spliced 8-amino-acid exon in the $GABA_A$ receptor γ2 subunit gene and lack of allelic association with alcoholism among four aboriginal groups and Han Chinese in Taiwan
Y.-P.P. Hsu, S.-V. Seow, E.W. Loh, Y.-C. Wang, C.-C. Chen, J.-M. Yu and A.T.A. Cheng (Taiwan) 284
Differential expression of the α9 nicotinic acetylcholine receptor subunit in neonatal and adult cochlear hair cells
D.D. Simmons and B.J. Morley (USA) 287

Author Index 306